

Fleximake Pty Ltd

A.B.N 55 146 538 301 19 ZILLA COURT, DANDENONG SOUTH. VIC 3175. AUSTRALIA Telephone: (03) 8772 2228 | 1300 195 295 Fax: (03) 8774 7772

Email: sales@fleximake.com.au
Web: www.fleximake.com.au

Insulated Pallet Cover Performance Data



Construction	20mm Bubble/ Sliver Aluminium Weave Double Sided
Thermal	R 0.14 as per ASTM C518 Standard
Resistance	
Emissivity	Silver 0.03 (97% reflective) as per ASTM-408 Standard



Fleximake Pty Ltd

A.B.N 55 146 538 301 19 ZILLA COURT, DANDENONG SOUTH. VIC 3175. AUSTRALIA Telephone: (03) 8772 2228 | 1300 195 295


Fax: (03) 8774 7772

Email: sales@fleximake.com.au
Web: www.fleximake.com.au


Temperature Smoothening Performance

Temperature of 750L water in an IBC with Fleximake Insulated Pallet Cover

Water Temp — RED, Ambient Temp — BLUE



Elapsed time of temperature profile - 70Hours (2.9 days)



Elapsed time of temperature profile – 160 Hours (6.7 days)



Fleximake Pty Ltd


A.B.N 55 146 538 301 19 ZILLA COURT, DANDENONG SOUTH. VIC 3175. AUSTRALIA Telephone: (03) 8772 2228 | 1300 195 295

Fax: (03) 8774 7772

Email: sales@fleximake.com.au
Web: www.fleximake.com.au

<u>Comparison of Temperature Smoothening Performances</u>

(Temperature of 750L water in IBCs with Various Insulated Pallet Covers)



Elapsed time of temperature profile – 160 Hours (6.7 days)